

MSDS DATA SHEET

Created on 10/08/2003

Part Number: 1050175

XX

CHEMISTRI 10/08/03

DISPLAY MATERIAL SAFETY DATA SHEET 11:03:28

SCREEN QA06__ KEY 0000940191,0000000018_____

FID#: 00048264 VER-DT: 06/20/94

SECTION 01: CHEMICAL PRODUCT & COMPANY ID

PRODUCT PRIMARY NAME: GM WHITEWALL TIRE CLEANER
PLANT SYNONYMS: GOODWRENCH WHITE SIDEWALL CLEANER

- > WHITE SIDEWALL TIRE CLEANER
- > 10-8003
- > 10-8004
- > 1050174
- > 1050175
- > 12345073
- > 88900384
- > 88900385

SAFE USE CATEGORY AND DESCRIPTION: 11 -CORROSIVES - CONCENTRATED BASE -
pH > 10
LAST UPDATED DATE: 1994-06-20

MANUFACTURER'S ID (MID): 000517887
MANUFACTURER'S NAME: EXCELDA MFG CO
MANUFACTURER'S MAILING ADDRESS:
12785 EMERSON DRIVE
BRIGHTON MI 48116
US

CHEMICAL FAMILY NAME: AQUEOUS CLEANING COMPOUND

SECTION 02: COMPOSITION & INGREDIENT INFO

CAS#	FORMULATION	W/V	CHEMICAL NAME
000067630	< 0.0000/ 3.0000%	W	ISOPROPYL ALCOHOL
*	LT		
007732185	> 90.0000/ 0.0000%	W	WATER
009016459	= 3.0000/ 0.0000%	W	TERGITOL NP-40 (nonionic)
014233375	< 0.0000/ 0.0500%	W	9,10-Anthracenedione, 1,4-bis(1-m
*	ethylethyl)amino ⁻		
034590948	= 1.0000/ 0.0000%	W	DIPROPYLENE GLYCOL, MONOMETHYL ETH
*	ER		

SECTION 2 - OTHER INFORMATION: OSHA*** ISOPROPYL ALCOHOL: 400 PPM;
SODIUM METASILICATE PENTAHYDRATE: 2 MG/M3 AS NAOH // ACGIH*** ISOPROPYL
ALCOHOL: 400 PPM; SODIUM METASILICATE PENTAHYDRATE: 2 MG/M3 AS NAOH.

THRESHOLD LIMIT VALUE: ISOPROPYL ALCOHOL: 500 PPM; SODIUM METASILICATE
PENTAHYDRATE: 2 MG/M3

EFFECTS OF OVEREXPOSURE - SKIN: MAY BE IRRITATING TO SKIN UPON
PROLONGED OR REPEATED CONTACT.
EFFECTS OF OVEREXPOSURE - EYE: IRRITATING OR CORROSIVE TO EYES.

EFFECTS OF OVEREXPOSURE - INHALATION: (IN EXTREME CASES). CONCENTRATED VAPORS CAUSE RESPIRATORY TRACT IRRITATION
EFFECTS OF OVEREXPOSURE - INGESTION: WHEN INGESTED, IT CAN CAUSE BURNS, ULCERATIONS OR PERORATION.

ADDITIONAL HEALTH HAZARD DATA: TARGET ORGAN EFFECTS: COUGH, DISCOMFORT AND DIFFICULTY IN BREATHING.

SECTION 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURES - SKIN: WASH SKIN THOROUGHLY WITH SOAP
EMERGENCY FIRST AID PROCEDURES - EYES: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN.
EMERGENCY FIRST AID PROCEDURES - INHALATION: NOT ESTABLISHED
EMERGENCY FIRST AID PROCEDURES - INGESTION: IF SWALLOWED, DO NOT INDUCE VOMITING, CALL A PHYSICIAN.

SECTION 4 - OTHER INFORMATION: ADDITIONAL MEASURES: NONE

SECTION 05: FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: NOT APPLICABLE CARBON DIOXIDE, DRY CHEMICAL, FOAM.

SPECIAL FIRE FIGHTING PROCEDURES: NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE
NFPA FLAMMABILITY CODE = 0
NFPA HEALTH CODE = 1
NFPA REACTIVITY CODE = 0

FLASH POINT TEMPS: = 151.00F

SECTION 5 - OTHER INFORMATION: FLAMMABLE LIMITS: NOT APPLICABLE //
SPECIFIC HAZARD: NONE

SECTION 06: ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: DILUTE WITH WATER AND FLUSH DOWN THE DRAIN.

SECTION 08: EXPOSURE CONTROLS - PROTECTION
EYE PROTECTION: SAFETY GLASSES

RESPIRATORY PROTECTION: NONE

VENTILATION: LOCAL

WORKPLACE/HYGIENIC PRACTICES: USE GOOD HYGIENE PRACTICES WHEN USING ANY CHEMICALS.

PROTECTIVE GLOVES (SPECIFY TYPE): LATEX

SECTION 09: PHYSICAL & CHEMICAL PROPERTIES

THEORETICAL VOC WITHOUT WATER: VOLATILE ORGANIC COMPOUNDS (VOC): 2.23 %

MELTING/FREEZE POINT TEMPS: = 32.00F

SPECIFIC GRAVITY VALUES: = 1.6200

VAPOR DENSITY TEXT: NOT ESTABLISHED

VAPOR PRESSURE TEXT: NOT ESTABLISHED

PERCENT VOLATILE BY VOLUME: = 93.0000

EVAPORATION RATE TEXT: NOT ESTABLISHED

SOLUBILITY IN WATER TEXT: COMPLETE

PH OF PRODUCT AS RECEIVED (NEAT)/VALUE: = 12.2000

APPEARANCE: BLUE

ODOR: ALCOHOLIC

VISCOSITY TEXT: AS WATER

PHYSICAL STATE: LIQ

SECTION 9 - OTHER INFORMATION: PERCENT NOR-VOLATILE (% BY WT.): 7

SECTION 10: STABILITY & REACTIVITY

STABILITY INDICATOR: Y

STABILITY - CONDITIONS TO AVOID: NONE

STABILITY - TEXT: STABLE

INCOMPATIBLE MATERIALS: NONE

HAZARDOUS DECOMPOSITION PRODUCTS: NONE

HAZARDOUS POLYMERIZATION INDICATOR: N

HAZARDOUS POLYMERIZATION - CONDITIONS TO AVOID: NONE

HAZARDOUS POLYMERIZATION TEXT: WILL NOT OCCUR

SECTION 11: TOXICOLOGICAL INFORMATION

EYE EFFECTS: NOT ESTABLISHED

SKIN EFFECTS: IN VITRO TESTING (CORROSITEX) 1 HOUR< TIME <4 HOURS

ACUTE ORAL EFFECTS: NOT ESTABLISHED

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: NONE, UNLESS CONTAMINATED WITH A KNOWN LIQUID OR SOLID HAZARDOUS WASTE.

SECTION 14: TRANSPORT INFORMATION

DOT INFORMATION: DOT REGULATED: YES, 49 CFR // DOT HAZARD LABELS
CORROSIVE

SHIPPING NAME: CORROSIVE LIQUIDS, NOS (SODIUM METASILICATE
PENTAHYDRATE). PG III OR CONSUMER COMMODITY FORM-D 49 CFR 173.154

HAZARD CLASS: 8

U.N. CODE: UN 1760

SECTION 14 - OTHER INFORMATION: N.J. RIGHT-TO-KNOWN: WATER; ISOPROPYL ALCOHOL 67-63-0; SODIUM ESTASILICTAE 6834-92-0; SODIUM TRIPOLYPHOSPHATE 7758-29-4; NONYLPHENOL POLYETHYLENE GLYCOL ETHER 26027-38-3

SECTION 15: REGULATORY INFORMATION

SECTION 15 - OTHER INFORMATION: NEUTRALIZING CHEMICALS OR MEDIA: NOT APPLICABLE // SARA HAZARD CLASS: NOT APPLICABLE // SECTION 313 TOXIC CHEMICAL (S): NONE

SECTION 16: OTHER INFORMATION

// SIGNAL WORD(S) LABEL PRECAUTIONS: CONTAIN SODIUM METASILICATE AND SURFACTANTS, AVOID EYE AND SKIN CONTACT. KEEP OUT OF THE REACH OF CHILDREN.

RCRA HAZARDOUS WASTE NUMBER TEXT: RCRA HAZARDOUS WASTE NUMBER: NONE

*** END OF DATA SHEET ***