

**MSDS DATA SHEET**

Created on 10/03/2003

Part Number: 1052182

XX

CHEMISTRI 10/03/03

DISPLAY MATERIAL SAFETY DATA SHEET 09:42:26

SCREEN QA06\_\_ KEY 0000939352,0000000018\_\_\_\_\_

FID#: 00193692 VER-DT: 05/14/86

-----  
SECTION 01: CHEMICAL PRODUCT & COMPANY ID  
-----

PRODUCT PRIMARY NAME: MANUAL STEERING GEAR LUBE  
PLANT SYNONYMS: 1052182

MSDS SIGNED BY NAME: ANNABELLE MOGAVERO  
MSDS SIGNED BY TITLE: MANAGER, PRODUCT DEVELOPMENT

SAFE USE CATEGORY AND DESCRIPTION: 00 -CORPORATE SAFE USE CATEGORY NOT ASSIGNED

LAST UPDATED DATE: 1986-09-12

MANUFACTURER'S ID (MID): 000550303  
MANUFACTURER'S NAME: KEM KREST PRODUCTS DIV OF ACCRA PAC INC  
MANUFACTURER'S MAILING ADDRESS:  
2730 MIDDLEBURY ST, P.O. BOX 878  
ALSO SEE GMBA #507002  
ELKHART IN 46516  
US

CHEMICAL FAMILY NAME: PETROLEUM HYDROCARBON

MOLECULAR FORMULA: SA 824 2020

-----  
SECTION 02: COMPOSITION & INGREDIENT INFO  
-----

CAS# FORMULATION W/V CHEMICAL NAME  
008002059 =100.0000/ 0.0000% W PETROLEUM DISTILLATE

-----  
PRIMARY ENTRY ROUTE INDICATORS:  
SKIN PRIMARY ENTRY ROUTE INDICATOR = Y  
EYE PRIMARY ENTRY ROUTE INDICATOR = Y  
INHALATION PRIMARY ENTRY ROUTE INDICATOR = Y  
INGESTION PRIMARY ENTRY ROUTE INDICATOR = N  
PRIMARY ROUTES OF ENTRY TEXT: INHALATION; SKIN CONTACT; EYES.

EFFECTS OF OVEREXPOSURE: MAY CAUSE SKIN & EYE IRRITATION WITH PROLONGED CONTACT.

-----  
SECTION 04: FIRST AID MEASURES  
-----

EMERGENCY FIRST AID PROCEDURES - GENERAL: EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN IMMEDIATELY. PHYSICIAN IMMEDIATELY.

-----  
SECTION 05: FIRE-FIGHTING MEASURES

-----  
EXTINGUISHING MEDIA: DRY CHEMICAL, CO, FOAM, WATERFOG, SAND/EARTH.

SPECIAL FIRE FIGHTING PROCEDURES: FIRE FIGHTERS SHOULD WEAR AN APPROVED SELF-CONTAINED BREATHING APPARATUS.

UNUSUAL FIRE AND EXPLOSION HAZARDS: DENSE SMOKE.

NFPA CODES:

NFPA FLAMMABILITY CODE = 2

NFPA HEALTH CODE = 3

NFPA REACTIVITY CODE = 1

FLASH POINT TEXT: >163F/326C COC

FLASH POINT METHOD: COC

-----  
SECTION 06: ACCIDENTAL RELEASE MEASURES  
-----

SPILL OR LEAK PROCEDURES: TRANSFER BULK OF MATERIAL INTO ANOTHER CONTAINER. ABSORB REMAINING RESIDUE WITH PROPER ABSORBENTS SUCH AS SAND, EARTH, VERMICULITE. SWEEP UP AND DISPOSE AS SOLID WASTE IN ACCORDANCE TO LOCAL, STATE AND FEDERAL REGULATIONS.

-----  
SECTION 07: HANDLING AND STORAGE  
-----

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: KEEP CONTAINERS CLOSED.

SECTION 7 - OTHER INFORMATION: KEEP OUT OF THE REACH OF CHILDREN.

-----  
SECTION 08: EXPOSURE CONTROLS - PROTECTION  
-----

EYE PROTECTION: SAFETY GOGGLES AND FULL FACE SHIELD

RESPIRATORY PROTECTION: NONE REQUIRED

PERSONAL PROTECTIVE EQUIPMENT: NONE REQUIRED

PROTECTIVE GLOVES (SPECIFY TYPE): RUBBER OR PLASTIC OIL RESISTANT

-----  
SECTION 09: PHYSICAL & CHEMICAL PROPERTIES  
-----

SPECIFIC GRAVITY VALUES: = 0.9360

SPECIFIC GRAVITY TEXT: =0.936

VAPOR DENSITY TEXT: NA

VAPOR PRESSURE TEXT: NA

PERCENT VOLATILE BY VOLUME TEXT: NA

PERCENT SOLID BY WEIGHT TEXT: NA

EVAPORATION RATE TEXT: NA

SOLUBILITY IN WATER VALUES/UOM: 25.0000

SOLUBILITY IN WATER TEXT: NEGLIGIBLE AT 25C

PH OF PRODUCT IN SOLUTION WITH WATER/TEXT: NA

APPEARANCE: GREASE-LIKE APPEARANCE / MINERAL OIL ODOR

PHYSICAL STATE: SOL

PHYSICAL STATE TEXT: \*SEMI-SOLID

-----  
SECTION 10: STABILITY & REACTIVITY  
-----

STABILITY INDICATOR: Y

STABILITY - TEXT: YES

INCOMPATIBLE MATERIALS: STRONG OXIDIZING AGENTS SUCH AS: HYDROGEN PEROXIDE, CHROMIC ACID AND BROMINE.

HAZARDOUS POLYMERIZATION INDICATOR: N

HAZARDOUS POLYMERIZATION TEXT: NO

-----  
SECTION 13: DISPOSAL CONSIDERATIONS  
-----

WASTE DISPOSAL METHOD: BY METHODS CONSISTENT WITH LOCAL, STATE AND FEDERAL REGULATIONS.

-----  
SECTION 16: OTHER INFORMATION  
-----

LOCAL EXHAUST: NONE REQUIRED

SPECIAL PROTECTION (MECHANICAL): NONE REQUIRED

\*\*\* END OF DATA SHEET \*\*\*