

MSDS DATA SHEET

Created on 10/27/2003

Part Number: 12377984

XX

CHEMISTRI 10/27/03

DISPLAY MATERIAL SAFETY DATA SHEET 17:27:09

SCREEN QA06__ KEY 0000944326,0000000018_____

FID#: 00327211 VER-DT: 11/01/01

SECTION 01: CHEMICAL PRODUCT & COMPANY ID

PRODUCT PRIMARY NAME: A10 - BODY SCRUB

PLANT SYNONYMS: SURFACE CLEANER

> 12377984

SAFE USE CATEGORY AND DESCRIPTION: 16 -GENERAL USE

LAST UPDATED DATE: 2001-11-01

MANUFACTURER'S ID (MID): 000539404

MANUFACTURER'S NAME: MEGUIAR'S INC

MANUFACTURER'S EMERGENCY PHONE NUMBER/TEXT: US 800-424-9300 EMERGENCY
PHONE NUMBER

MANUFACTURER'S MAILING ADDRESS:

IRVINE CA 92614

US

SECTION 02: COMPOSITION & INGREDIENT INFO

CAS#	FORMULATION	W/V	CHEMICAL NAME
000056815	R 1.0000/ 5.0000%	W	GLYCEROL
001330207	R 2.0000/ 7.0000%	W	XYLENE
007732185	B 0.0000/ 0.0000%	W	WATER
008052413	R 1.0000/ 3.0000%	W	STODDARD SOLVENT
061790532	R 2.0000/ 8.0000%	W	DIATOMACEOUS EARTH, NATURAL
064742149	R 10.0000/ 20.0000%	W	Acid Treated Light Distillate (Pet * roleum)
064742467	R 1.0000/ 5.0000%	W	DISTILLATES (PETROLEUM), HYDROTREA * TED MIDDLE * aliph.
066402684	R 2.0000/ 5.0000%	W	Ceramic materials and wares, chemi * cals
989936282	R 2.0000/ 5.0000%	W	CONDITIONERS

SECTION 2 - OTHER INFORMATION: (989936282) TRADE SECRET INGREDIENT AS
PER CPR SECTION 1910.1200.

SECTION 03: HAZARDS IDENTIFICATION

PRIMARY ENTRY ROUTE INDICATORS:

SKIN PRIMARY ENTRY ROUTE INDICATOR = Y

EYE PRIMARY ENTRY ROUTE INDICATOR = Y

INHALATION PRIMARY ENTRY ROUTE INDICATOR = Y

INGESTION PRIMARY ENTRY ROUTE INDICATOR = Y

PRIMARY ROUTES OF ENTRY TEXT: INHALATION: YES. SKIN: YES. INGESTION:

EFFECTS OF OVEREXPOSURE - SKIN: ACUTE-CHRONIC: MAY CAUSE SKIN
IRRITATION.

EFFECTS OF OVEREXPOSURE - EYE: ACUTE-CHRONIC: MAY CAUSE EYE IRRITATION.

EFFECTS OF OVEREXPOSURE - INGESTION: ACUTE-CHRONIC: MAYBE HARMFUL IF SWALLOWED. WILL CAUSE PULMONARY DISEASE, AND CAN CAUSE INTESTINAL DISTRESS.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: POSSIBLE LUNG TISSUE, LIVER, KIDNEY, AND EYE DAMAGE. POSSIBLE SKIN DERMATITIS.

ADDITIONAL HEALTH HAZARD DATA: ACUTE-CHRONIC: PROLONGED OR INTENTIONAL EXPOSURE TO HIGH CONCENTRATIONS MAY CAUSE RESPIRATORY TRACK IRRITATION.

SECTION 04: FIRST AID MEASURES

AND WATER.

EMERGENCY FIRST AID PROCEDURES - EYES: WASH EYES WITH COPIOUS AMOUNTS OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.

EMERGENCY FIRST AID PROCEDURES - INHALATION: IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION.

EMERGENCY FIRST AID PROCEDURES - INGESTION: IF SWALLOWED GIVE SEVERAL GLASSES OF WATER, BUT DO NOT INDUCE VOMITING.

SECTION 05: FIRE-FIGHTING MEASURES

SPECIAL FIRE FIGHTING PROCEDURES: SELF CONTAINED BREATHING APPARATUS.

EXTINGUISHING MEDIA: DRY CHEMICAL, WATER, FOAM, CO2.

NFPA CODES:

NFPA FLAMMABILITY CODE = 2

NFPA HEALTH CODE = 1

FLASH POINT TEMPS: > 200.00F

FLASH POINT METHOD: PMCC

FLASH POINT METHOD TEXT: ASTM D93-90

SECTION 5 - OTHER INFORMATION: HAZARD DECOMPOSITION: CARBON DIOXIDE, CARBON MONOXIDE, AND OTHER TOXIC GASES. LEL & UEL: N/A

SECTION 06: ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: CONTAIN AND ABSORB. MAY BE CONTAINED IN METAL, PLASTIC, OR GLASS.

SECTION 07: HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: STORE AWAY FROM ACIDS AND OXIDIZERS. OTHER PRECAUTIONS: AVOID BREATHING VAPORS. WEAR AN APPROVED RESPIRATOR.

SECTION 08: EXPOSURE CONTROLS - PROTECTION

EYE PROTECTION: WHERE SPLASHING OCCURS.

RESPIRATORY PROTECTION: NIOSH APPROVED RESPIRATOR RECOMMENDED.

ENGINEERING CONTROLS: VENTILATION: LOCAL EXHAUST: ADEQUATE. MECHANICAL: YES. SPECIAL: USE IN A WELL VENTILATED AREA.

PROTECTIVE GLOVES (SPECIFY TYPE): GLOVES(NEOPRENE): FOR SENSITIVE SKIN.

SECTION 09: PHYSICAL & CHEMICAL PROPERTIES

VOLATILE ORGANIC COMPOUND: 1.83LB/GAL
THEORETICAL VOC: 1.83 BY W

BOILING POINT TEMPS: = 380.00F

SPECIFIC GRAVITY VALUES: = 1.0000

VAPOR DENSITY VALUES: > 1.0000
VAPOR DENSITY TEXT: (AIR=1)
VAPOR PRESSURE TEXT: AT 70F <10 MMHG.

EVAPORATION RATE VALUES: < 1.00

SOLUBILITY IN WATER TEXT: APPRECIABLE.
PH OF PRODUCT AS RECEIVED (NEAT)/VALUE: = 7.0000

APPEARANCE: GREYISH BROWN LOTION

ODOR: WITH A SWEET HYDROCARBON ODOR.

PHYSICAL STATE: GEL

SECTION 9 - OTHER INFORMATION: VOC: LBS/GAL VOC WAS CONVERTED FROM MSDS
VALUE. % VOC'S AT 70F: 22%.

SECTION 10: STABILITY & REACTIVITY

STABILITY INDICATOR: Y
STABILITY - TEXT: CONDITIONS TO AVOID: AVOID EXTREME HEAT CONDITIONS.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON DIOXIDE, CARBON MONOXIDE, AND
OTHER GASES.

HAZARDOUS POLYMERIZATION INDICATOR: N

SECTION 11: TOXICOLOGICAL INFORMATION

CARCINOGENICITY: NONE.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: SANITARY LANDFILLS FOR ABSORBENT MATERIALS, OR
AS REQUIRED BY FEDERAL, STATE, AND LOCAL REGULATIONS.

SECTION 15: REGULATORY INFORMATION

SARA 311/312 HAZARD INDICATORS:
IMMEDIATE HEALTH INDICATOR = N
DELAYED HEALTH INDICATOR = N

SECTION 15 - OTHER INFORMATION: OTHER INFORMATION: WHMIS:STODDARD
SOLVENT, CAS#8052-41-3, 1-3%. U.S. MANUFACTURERS ARE REQUIRED TO BE
TSCA COMPLIANT.

SECTION 16: OTHER INFORMATION

RCRA HAZARDOUS WASTE NUMBER TEXT: PRODUCT CONTAINS MIXED XYLENES, CAS
#1330-20-7, 2-7%, RCRA LISTING, U239, 1,000LBS.

*** END OF DATA SHEET ***