

MSDS DATA SHEET

Created on 10/08/2003

Part Number: 12378460

XX

CHEMISTRI 10/08/03
DISPLAY MATERIAL SAFETY DATA SHEET 10:30:33
SCREEN QA06__ KEY 0000940161,0000000018_____
FID#: 00318161 VER-DT: 10/12/01

SECTION 01: CHEMICAL PRODUCT & COMPANY ID

PRODUCT PRIMARY NAME: M06-LIQUID CLEANER WAX
PLANT SYNONYMS: CLEANER WAX

- > GM CLEANER WAX
- > 12377966
- > 12378460
- > 12378499
- > 12378499 (GALLON SAMPLER PACKAGE)

SAFE USE CATEGORY AND DESCRIPTION: 04 -METAL WORKING FLUIDS AND LUBRICANTS

LAST UPDATED DATE: 2001-10-12

MANUFACTURER'S NAME: MEGUIAR'S INC
MANUFACTURER'S EMERGENCY PHONE NUMBER/TEXT: US 800-424-9300 EMERGENCY PHONE NUMBER
MANUFACTURER'S MAILING ADDRESS:
17991 MITCHELL SOUTH
IRVINE CA 92614
US

SECTION 02: COMPOSITION & INGREDIENT INFO

CAS#	FORMULATION	W/V	CHEMICAL NAME
001332587	R 5.0000/ 15.0000%	W	CLAY (KAOLIN)
007732185	B 0.0000/ 0.0000%	W	WATER
008007430	R 1.0000/ 5.0000%	W	SORBITAN, SESQUIOLEATE
008015869	R 1.0000/ 5.0000%	W	Carnauba wax
064742467	R 1.0000/ 5.0000%	W	DISTILLATES (PETROLEUM), HYDROTREA
*			TED MIDDLE
064742489	R 12.0000/ 22.0000%	W	Naphtha, petroleum, hydrotreated h
*			eavy
989936282	R 1.0000/ 5.0000%	W	CONDITIONERS

PERMISSIBLE EXPOSURE LIMIT: CAS # 001332-58-7: PEL - 15 MG/M3 (TOTAL DUST); 5 MG/M3 (RESPIRABLE FRACTION); OSHA STEL - NOT ESTABLISHED.

SECTION 03: HAZARDS IDENTIFICATION

PRIMARY ENTRY ROUTE INDICATORS:
SKIN PRIMARY ENTRY ROUTE INDICATOR = Y
EYE PRIMARY ENTRY ROUTE INDICATOR = Y
INHALATION PRIMARY ENTRY ROUTE INDICATOR = Y
INGESTION PRIMARY ENTRY ROUTE INDICATOR = Y

EFFECTS OF OVEREXPOSURE - SKIN: ACUTE-CHRONIC: MAY CAUSE SKIN IRRITATION.
EFFECTS OF OVEREXPOSURE - EYE: ACUTE-CHRONIC: MAY CAUSE EYE IRRITATION.

EFFECTS OF OVEREXPOSURE - INGESTION: ACUTE-CHRONIC: MAY BE HARMFUL IF SWALLOWED. CAN CAUSE INTESTINAL DISTRESS.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: DERMATITIS

ADDITIONAL HEALTH HAZARD DATA: ACUTE-CHRONIC: PROLONGED OR INTENTIONAL EXPOSURE TO HIGH CONCENTRATIONS MAY CAUSE RESPIRATORY TRACT IRRITATION.

SECTION 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURES - SKIN: THOROUGHLY WASH SKIN WITH SOAP AND WATER.

OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.

EMERGENCY FIRST AID PROCEDURES - INHALATION: IF BREATHING IS DIFFICULT, GET MEDICAL ATTENTION.

EMERGENCY FIRST AID PROCEDURES - INGESTION: IF SWALLOWED GIVE SEVERAL GLASSES OF WATER, BUT DO NOT INDUCE VOMITING.

SECTION 05: FIRE-FIGHTING MEASURES

SPECIAL FIRE FIGHTING PROCEDURES: SELF CONTAINED BREATHING APPARATUS.

EXTINGUISHING MEDIA: DRY CHEMICAL, WATER, FOAM, CO2.

NFPA CODES:

NFPA FLAMMABILITY CODE = 1

NFPA HEALTH CODE = 1

NFPA REACTIVITY CODE = 0

FLASH POINT METHOD: PMCC

FLASH POINT METHOD TEXT: ASTM D93-90

SECTION 5 - OTHER INFORMATION: LEL AND UEL: N/A.

SECTION 06: ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: CONTAIN AND ABSORB. MAY BE CONTAINED IN METAL, PLASTIC OR GLASS.

SECTION 07: HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: STORE AWAY FROM ACIDS AND OXIDIZERS. OTHER PRECAUTIONS: NONE.

SECTION 08: EXPOSURE CONTROLS - PROTECTION

EYE PROTECTION: WHERE SPLASHING OCCURS.

RESPIRATORY PROTECTION: NONE REQUIRED FOR NORMAL USE.

ENGINEERING CONTROLS: VENTILATION: LOCAL EXHAUST: ADEQUATE. MECHANICAL: NONE. SPECIAL: USE IN WELL VENTILATED AREA.

PROTECTIVE GLOVES (SPECIFY TYPE): NEOPRENE GLOVES FOR SENSITIVE SKIN.

SECTION 09: PHYSICAL & CHEMICAL PROPERTIES

VOLATILE ORGANIC COMPOUND: 2.00LB/GAL

BOILING POINT TEMPS: > 390.00F

SPECIFIC GRAVITY VALUES: = 1.0000

VAPOR DENSITY VALUES: > 1.0000

VAPOR DENSITY TEXT: AIR=1

VAPOR PRESSURE TEXT: <10 MMHG AT 70 F

EVAPORATION RATE VALUES: < 1.00

SOLUBILITY IN WATER TEXT: APPRECIABLE

PH OF PRODUCT AS RECEIVED (NEAT)/VALUE: = 8.5000

APPEARANCE: THICK WHITE LIQUID

ODOR: SWEET ODOR.

PHYSICAL STATE: LIQ

SECTION 9 - OTHER INFORMATION: %VOC'S AT 70 F: 24% MAX. 2.00 LBS/GAL
MAX. LBS/GAL VOC WAS CONVERTED FROM MSDS VALUE.

SECTION 10: STABILITY & REACTIVITY

STABILITY INDICATOR: Y

STABILITY - TEXT: CONDITIONS TO AVOID: NONE. MATERIALS TO AVOID:
OXIDIZERS AND ACIDS.

HAZARDOUS DECOMPOSITION PRODUCTS: CO, CARBON DIOXIDE AND SILICONE
OXIDES.

HAZARDOUS POLYMERIZATION INDICATOR: N

SECTION 11: TOXICOLOGICAL INFORMATION

CARCINOGENICITY: NONE

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: SANITARY LANDFILLS FOR ABSORBENT MATERIALS, OR
AS REQUIRED BY FEDERAL, STATE AND LOCAL REGULATIONS.

SECTION 15: REGULATORY INFORMATION

SARA 311/312 HAZARD INDICATORS:

DELAYED HEALTH INDICATOR = N

SECTION 15 - OTHER INFORMATION: U.S. MANUFACTURERS ARE REQUIRED TO BE
TSCA COMPLIANT.

SECTION 16: OTHER INFORMATION

SPECIAL PROTECTION: OTHER PROTECTIVE EQUIPMENT: NONE.

*** END OF DATA SHEET ***

